

Dura Composite

Interlocking Decking Patio Tiles



NO FIXINGS REQUIRED.

**See How Dura Tile Can Help You Produce a "No Maintenance"
12 Square Metre Decked Patio in under 20 Minutes!**

Applications:

- Hotel Terraces
- Boardwalks
- Balcony Decking
- Leisure Centres
- Patios
- Theme Parks
- Pool Decking
- Public Areas
- Roof Gardens and Terraces

Benefits:

- Natural wood look
- Low maintenance
- Long Lifespan
- Concealed fixings
- No splintering
- UV / Colour stabilised
- Slip resistant
- Mould resistant
- Water resistant

and have a 50 year lifespan..!!

CONSTRUCTION

High performance composites

ACCRUE CONSTRUCTION
MATERIALS INC





Interlocking Decking Tiles

Featuring the Interlocking system, each tile can be attached to the next in seconds and will enhance and add value to balcony decks, roof terraces, patios, verandahs, conservatories, restaurant terraces and swimming pool decking.



What Are Interlocking Decking Tiles?

Dura Tile decking tiles are precision made tile modules securely attached to a plastic grid base. The plastic base is constructed with inbuilt connecting tabs which enables the tiles to be quickly and easily linked together over practically any hard surface, creating a "floating" tiled surface. The tiles are not screwed, nailed, or bonded to the surface in any way, so installation requires minimal surface preparation, effort or time.



The plastic grid base allows water to drain freely under the tiles open structure of the plastic base provides good air circulation, helping to prevent mold or mildew in damp and dark locations.

With **Dura Tile** WPC tiles, corrosion resistant screws are used to attach the wood slats to the plastic grid from the underside, providing a smooth, splinter free surface, free from nails or screws.

The **Dura Tile** range combines the ease and simplicity of snap in place installation with the beauty and durability of wood plastic composite tile. The natural stone or porcelain is bonded to a plastic grid base with a special flexible adhesive.

Dura Tile decking tiles are simply snapped into position over most hard, smooth surfaces ... no adhesives or grouting required. The precision made interlocking base ensures perfect positioning and alignment every time, without effort or frustration.

Advantages of Dura Tiles Versus old style Timber Tiles...

Dura Tiles:

- Do not split, splinter or rot.
- Anti-slip qualities greater than timber and dries quickly.
- Can be jet washed when necessary.
- Can be sanded to remove stains.
- Retains natural timber appearance with minimal maintenance.
- Needs no staining, oiling or painting.
- Minimal moisture absorption.
- Fast replacement of old timber decking.

Dura Tiles: WPC Deck Tiles - No Fixings Required...

The deck tiles can be laid in two directions to create a unique pattern. The Interlocking tile joining system is easy to lay and large areas can be installed quickly. Excellent savings can be made as no fixings are required.



Composite Decking Tiles, Traditional Wood Appearance & No Fixings Required. Eco Friendly.

Decking Tiles Produced From Polyethylene Resins

Dura Tile composite interlocking decking tiles are fitted to a strong, heavy duty plastic interlocking frame creating exceptional strength and lightness.

Manufactured from polyethylene based resins, reclaimed hardwood, and finished with an attractive hardwearing anti-slip finish. Dura Tile eliminates rot, algae growth, discolouration and significantly reduces the risk of slipping in wet conditions.

Dura Tile is manufactured from recycled and sustainable materials, yet gives the appearance of traditional hardwood timber. It's advanced material composition meets many of today's requirements set by architects, designers and specifiers.

Wood Plastic Composite (WPC) Decking Tiles For Roof Gardens, Patios, Terraces & Balconies.

Dura Tile Interlocking Patio Tiles

Dura Tile is the ideal for public areas such as Outside Refreshment Bars, Walkways, Verandahs, Balconies, Conservatories, Patios and Pool Decking.

Commercial enterprises such as Holiday Parks, Leisure Centres and Theme Parks can benefit in the short and long term by fitting Dura Tile to those areas where safety standards are an important factor.

Wood Composite Decking Tiles - Beautiful Wood Look For Patios, Terraces, Balconies & Walkways.

Beautiful Wood Look Composite Decking Tiles

Dura Tile composite timber products are manufactured using the wood plastic extrusion (WPC) system, which provides a beautiful timber look product with exceptional long lasting weathering properties. Composite timber extrusions are UV stable, colour fast, ECO friendly, **and have a 50 year lifespan..!!**

Composite timber has a beautiful appearance, with all the advantages of wood, but is virtually maintenance free and is colour stable.



Dura Tile as a Long Term Investment

Although timber has been used for Decking applications for decades we are all aware of its shortcomings. For the first few years timber decking works well. However, after a period of time timber, however treated, will start to deteriorate and rot, with continual wet and dry cycles. Also, the walking surface can become quite slippery when wet, green with algae, or when drinks and other liquids are accidentally spilt.

To overcome these safety and long-term durability issues, many commercial operators are insisting on using composite materials as a long term safety investment. Dura Tile out performs all other materials, and its anti slip qualities are "second to none" especially in wet, greasy and frosty conditions. Slips, trips and falls, due to unsuitable walking surfaces, cause most accidents in leisure environments.

Spec Details:

Colours: Teak & Grey

Size: 308mm x 308mm x 26mm thick

Patio Dura Tile Upgrade Progress....



Before,



During

After 10-15 Minutes...



Other Uses for Dura Tiles...

Just some of the other uses for Dura Deck decking tiles include:

- Landscaping projects, either indoors or outdoors
- Greenhouse flooring
- Gazebo and rotunda floors
- BBQ or Outdoor kitchen surround areas
- Outdoor shower base
- RV or campground decking
- Showroom floors
- Exhibition and trade-show flooring [*Temp or Long-term*]

Applications:

- Hotel Terraces
- Boardwalks
- Balcony Decking
- Leisure Centres
- Patios
- Theme Parks
- Pool Decking
- Public Areas
- Roof Gardens and Terraces

Benefits:


- Natural wood look
- Low maintenance
- Long Lifespan
- Concealed fixings
- No splintering
- UV / Colour stabilised
- Slip resistant
- Mould resistant
- Water resistant

Grid Base Specifications:

Composition:	Recycled PE & virgin PE polymer
Tile Size:	308mm x 308mm
Tile Height: (Including Bas)	26mm
Base Height:	14mm
Composite Wood Thickness:	12mm
Surface Finish:	Simulated wood grain finish
Tile Weight:	1.75KG
Packing:	9 tiles per carton
Carton Weight:	14.3KG
Area per Box:	1.04 sq mts

Interlocking Grid Base:

- Symmetrical design for ease of installation.
- UV stabilized polyethylene.
- In-built connecting tabs enabling link together installation.
- Open mesh with raised feet for under tile drainage.
- Height of grid (ground clearance) 14mm.
- Grid to composite wood attachment: Stainless steel screws.
- Engineered to support one tonne per square metre.



[Website: AccrueConstructionMaterials.com](http://www.AccrueConstructionMaterials.com)

UK (Head Office)
ACM International Inc.
Auckland Hill,
West Norwood, SE27,
London, UK.

Contact: David - GGM
Office: + 44 75 535 83910
daveaccrue@gmail.com

USA / Canada
ACM [USA]
9 Pinewood Lane,
Warren, New Jersey,
07059, USA.

Contact: Andy / John
Office: + 173274 27179
Jr.adriatik@gmail.com

ISRAEL
ACM [Israel]
2/2 Zeev Sharf St,
Jerusalem, Israel.
97842.

Contact: Jacob / Bari
Int Tel: +972 54 907 7790
jacob@jbtech.co.il

**ACCRUE CONSTRUCTION
MATERIALS INC**

